IN THE CLAIMS:

The following is a complete listing of the claims, and replaces all earlier version and listings.

1. to 32. (canceled).

33. (currently amended): An information processing apparatus comprising: an obtainment unit configured to obtain a list of code systems supported by a printer;

a designation unit configured to designate a font to be downloaded in accordance with a user designation;

a determination unit configured to determine whether a code system of the font designated by the <u>said</u> designation unit is or is not included in the list of code systems obtained by the <u>said</u> obtainment unit;

a display unit configured to display the list of code systems obtained by the said obtainment unit response to a determination by the said determination unit that the code system of the font designated by the said designation unit is not included in the list of code systems obtained by the obtainment unit;

a selection unit configured to select a code system from the list of code systems displayed by the said display unit in accordance with a user selection;

a download unit configured to download a pattern of convert the code

system of the font designated by the said designation unit and configured to assign a code

corresponding to the code system selected by the said selection unit to the pattern of the

font designated by the designation unit and download the font with its code system converted.

34. (currently amended): The information processing apparatus according to claim 33, wherein the said obtainment unit obtains a list of code systems supported by the printer from the printer.

35. (currently amended): The information processing apparatus according to claim 33, further comprising:

a holding unit configured to hold a model name of the printer and code systems supported by the printer corresponded corresponding to the model name[[;]], wherein the said obtainment unit obtains a list of the code systems supported by the printer from the said holding unit.

36. (currently amended): The information processing apparatus according to claim 33,

wherein the printer has a conversion table that contains character codes of

Unicode corresponding to positions of character codes of respective code systems, and

wherein the printer comprises a printing unit configured to convert character

codes input from into the information processing apparatus to a pattern character codes of

Unicode by using the conversion table, and further configured to print by using the pattern

character codes of Unicode.

37. (currently amended): An information processing method comprising:

obtaining a list of code systems supported by a printer;

designating a font to be downloaded in accordance with a user designation;

determining whether a code system of the designated font is or is not

included in the list of code systems;

displaying the list of code systems responsive in response to a determination that the code system of the designated font is not included in the list of code systems; accepting a selection of a code system from the displayed list of code systems in accordance with a user selection;

converting the code system of the designated font to the selected code

system and downloading a pattern of the designated font;

assigning a code corresponding to the selected code system to the pattern of the designated font the designated font with its code system converted.

38. (currently amended): A <u>non-transitory</u> computer-readable storage medium which stores a computer-executable program for causing an information processing apparatus to execute steps comprising:

obtaining a list of code systems supported by a printer;

designating a font to be downloaded in accordance with a user designation;

determining whether a code system of the designated font is or is not

included in the list of code systems;

displaying the list of code systems <u>responsive in response</u> to a determination that the code system of the designated font is not included in the list of code systems;

accepting a selection of a code system from the displayed list of code systems in accordance with a user selection;

converting the code system of the designated font to the selected code

system and downloading a pattern of the designated font;

assigning a code corresponding to the selected code system to the pattern of the designated font the designated font with its code system converted.